



Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200



WHMIS CLASS E: Corrosive liquid.

HCS CLASS: Corrosive liquid.

WHMIS (Pictograms)

WHMIS (Classification)

HCS

Section 1. Chemical Product and Company Identification

**Product Name/
Trade name** Fiber Pro TLC

Code 406

Synonym Traffic Lane Cleaner/Prespray

CAS # Mixture.

Chemical Family Not Applicable

Validation Date 3/2/2007

Chemical Formula Not applicable.

Print Date 3/23/2007

Manufacturer/ Supplier Betco Corporation
1001 Brown Avenue
Toledo, Ohio 43607
(419) 241-2156

**In Case of
Emergency** Chemtrec (800) 424-9300

TSCA TSCA Inventory: All components listed or are exempt from listing.

DSL/ NDSL All components listed unless noted elsewhere on this MSDS

Protective Clothing



Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Sodium Metasilicate	6834-92-0	5-10	Not available.	Not available.
Sodium Hydroxide	1310-73-2	1-5	TWA: 2 (mg/m ³) from OSHA (PEL) [United States]	Not available.
Sodium Xylene Sulfonate	1300-72-7	0-5	Not available.	ORAL (LD50): Acute: 650 mg/kg [Rat]. 5939 mg/kg [Mouse].
Sodium Tallate	61790-45-2	0-5	Not available.	Not available.
2-Butoxyethanol	111-76-2	0-5	TWA: 20 (ppm) from ACGIH (TLV) [United States] TWA: 50 (ppm) from OSHA (PEL) [United States]	ORAL (LD50): Acute: 1746 mg/kg [Rat].

Section 3. Hazards Identification

Potential Acute Health Effects	Corrosive to eyes. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract.
Potential Chronic Health Effects	Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Flush eyes with a gentle stream of water holding eyelids open for at least 15 minutes. Seek medical attention.
Skin Contact	Wash gently and thoroughly the contaminated skin with running water and non abrasive soap. Seek medical attention.
Inhalation	Get to fresh air. Seek medical attention if irritation persists.
Ingestion	Do not induce vomiting. Drink large quantities of water. Seek medical attention immediately.

Section 5. Fire Fighting Measures

Products of Combustion Not Available

Fire Fighting Media and Instructions N/A

Special Remarks on Fire Hazards N/A

Special Remarks on Explosion Hazards N/A

Section 6. Accidental Release Measures

Small Spill and Leak Absorb with an inert material and place in an appropriate waste disposal container.

Large Spill and Leak Absorb with an inert material and put the spilled material in an appropriate waste disposal. Call for assistance on disposal.

Personal Protection in Case of a Large Spill Gloves (impervious). Splash goggles. Boots.

Section 7. Handling and Storage

Precautions After handling, always wash hands thoroughly with soap and water. Avoid contact with skin and eyes.

Incompatibility Strong acids.

Storage Corrosive materials should be stored in a separate safety storage cabinet or room. Keep out of reach of children. For Institutional and Commercial Use

Section 8. Exposure Controls/Personal Protection

Engineering Controls Good general ventilation should be sufficient to control airborne levels.

Personal Protection

Eyes Splash goggles.

Body Long Pants and Long Sleeves to avoid skin contact.

Respiratory Wear appropriate respirator when ventilation is inadequate.

Hands Gloves (impervious).

Protective Clothing (Pictograms)



Exposure Limits **2-Butoxyethanol**
TWA: 25 (ppm)
TWA: 50 (ppm) from OSHA (PEL)

Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties			
Physical State and Appearance	Liquid	Odor	Pleasant.
		Taste	Not available.
		Color	Straw color.
Molecular Weight	Not applicable.		
pH	12.5 to 13.5 [Basic.]		
Boiling/Condensation Point	215°F initial		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.06 (Water = 1)		
Vapor Pressure	20mm Hg @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	80		
VOC	Not available.		
Evaporation Rate	(Water=1):<1		
Dispersion Properties	not available		
Solubility	not available		
The Product is:	Non-flammable.		
Auto-ignition Temperature	N/A		
Flash Points	None to boiling		
Flammable Limits	Not Applicable		
Fire Hazards in Presence of Various Substances	Non-flammable.		
Explosion Hazards in Presence of Various Substances	Not Applicable		

Section 10. Stability and Reactivity Data	
Stability	Stable
Incompatibility with Various Substances	Strong acids.
Hazardous Decomposition Products	Will not occur.

Section 11. Toxicological Information

Routes of Entry	Eye Contact Ingestion. Skin contact.
Toxicity to Animals	Acute oral toxicity (LD50): 1746 mg/kg [Rat]. (2-Butoxyethanol).
Acute Effects on Humans	<p><i>Eyes</i> Severe eye irritant. Liquid and mist may damage the eyes causing corneal injury.</p> <p><i>Skin</i> Severe skin irritant. May cause moderate reddening, swelling, and possible skin damage.</p> <p><i>Inhalation</i> Vapors may be irritating to mucous membranes in the nose, throat, and lungs.</p> <p><i>Ingestion</i> Irritating to the mouth, throat, and gastrointestinal system. May cause headache, dizziness, nausea, vomiting, and diarrhea.</p>
Chronic Effects on Humans	Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not Available
Products of Biodegradation	Not Available
Toxicity of the Products of Biodegradation	as toxic as the original product.
Special Remarks on the Products of Biodegradation	No additional remark.

Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

Section 14. Transport Information

DOT (U.S.A)
(Pictograms)



TDG Classification

8



PIN UN, Proper Shipping Name, PG Shipping name: Corrosive liquids n.o.s. UNNA: 1760 PG: III


Maritime Transportation Not available.

Section 15. Other Regulatory Information and Pictograms**WHMIS (Classification)** WHMIS CLASS E: Corrosive liquid.**Regulatory Lists** No products were found.**Other Regulations** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).**Other Classifications****HCS (U.S.A.)** HCS CLASS: Corrosive liquid.**USA Regulatory
Lists**

SARA 311/312 MSDS distribution - chemical inventory - hazard
identification: 2-Butoxyethanol: immediate health hazard, delayed health
hazard
SARA 313 toxic chemical notification and release reporting:
2-Butoxyethanol

DSD (EEC)**International
Regulations Lists** No products were found.**Hazardous Material
Information System
(U.S.A.)**

Health	*	3
Flammability		0
Physical Hazard		0

**National Fire
Protection
Association
(U.S.A.)**

The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Section 16. Other Information

Validated by CRushton on 3/2/2007.

Verified by CRushton.

Printed 3/23/2007.

Information Contact Betco Corporation
1001 Brown Avenue
Toledo, Ohio 43607

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.