
SECTION I

Trade Name: DURASAFE 1007 ALL PURPOSE SPOT REMOVER
Common Name: All Purpose Spot Remover - For food and dirt spots
Manufacturer's Name: XL BRANDS
Address: 237 NANCE ROAD NE
CALHOUN, GA 30701
Emergency Telephone No.: 800-424-9300
Information Telephone No.: 800-336-4583 Date Prepared: 02/15/05
Preparer: W. E. Oates
Chemical Name: NA
Supplier's Generic Name: DuraSafe 1007
Hazard Class: DOES NOT APPLY
Other Identifying Data: Clear, water-white liquid
General Information: FOR COMMERCIAL USE - KEEP OUT OF REACH OF CHILDREN
CONTAINS NO SARA 313 REPORTABLE CHEMICALS

SECTION II - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Chemical Name	OSHA-PEL (ppm)	ACGIH-TLV (ppm)	CAS Number	Percent
Contains NO HAZARDOUS CHEMICALS	NA	NA	000000-00-0	NA

"No toxic chemical(s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR are present."

State Regulations: California Proposition 65

This product does not contain components listed under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65).

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212° F Pure or Mixture: MIXTURE
Vapor Pressure: Same as water Melting Point (F): NA
Evaporation Rate: Same as water (BUTYL ACETATE = 1) pH: 7 - 9
Vapor Density (Air=1): Same as water Ignition Temperature (F): NA
Solubility in Water: SOL
Specific Gravity: >1.031 Physical State: LIQUID
Appearance and Odor: Clear liquid, little odor
How to detect this substance: Appearance and soapy feel to the touch
Other Physical/Chemical Data: NA

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): >212° F
Flammability Classification: WILL NOT BURN
NFPA Health Hazard Code: NONHAZARDOUS
Flammable Limits in Air-> LEL: NA % UEL: NA %
Extinguishing Media: This material does not burn. The choice of
extinguishing media depends on the
surrounding materials involved in the fire.
Special Fire Fighting Procedures: As with all fires involving chemicals,
firefighters should wear self-contained
breathing apparatus and full turnout gear.

FIRE AND EXPLOSION HAZARD DATA (Continued from previous page)

Unusual Fire & Explosion Hazards: There are no unusual fire or explosion hazards associated with this material. A water spray may be used to cool containers in the area of the fire.

SECTION V - REACTIVITY DATA

Stability: NORMALLY STABLE
Incompatibilities: Strong oxidizing agents, such as nitric acid.
Conditions To Avoid: NONE
Hazardous Decomposition Products: Oxides of sulfur and oxides of carbon
Hazardous Polymerization: WILL NOT OCCUR
Other Reactivity Data: None known

SECTION VI - HEALTH HAZARD DATA

ROUTES OF ENTRY: Ingestion, skin, and eyes

HEALTH HAZARDS

Immediate: May cause irritation to eyes and skin upon contact. May cause nausea and vomiting if ingested.
Long Term: None listed
Other Hazards: None listed
Carcinogenicity: THIS PRODUCT'S INGREDIENTS ARE NOT FOUND IN OHSA, NTP, IARC, OR APD LISTS.

SIGNS & SYMPTOMS OF EXPOSURE / EMERGENCY & FIRST-AID PROCEDURES

Eye Contact: Irritations / Flush with water for 15 minutes. Consult a physician if irritation persists.
Skin Contact: Dry, redness, itching / Flush with water. Avoid further contact. Seek medical aid if problem persists.
Inhaled: Irritation of nasal passages and respiratory tract and sneezing / Go to fresh air. Consult a physician if irritation persists.
Swallowed: Diarrhea / Drink water, induce vomiting by sticking finger down throat. Consult a physician if diarrhea persists.
Medical Conditions Aggravated By Exposure:
Dermatitis may be aggravated by prolonged and/or repeated contact with this material.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Action If Released or Spilled: If it is a small spill, mop up the material. If it is a large spill, use absorbent, shovel up and place in a container for disposal. Flush residue to drain (sewer) with plenty of water to prevent slip hazards.

PRECAUTIONS FOR SAFE HANDLING AND USE (Continued from previous page)

Waste Disposal Method: Dispose of contaminated materials by means of an approved commercial disposer.

DOT Storage Category: N/A

Handling/Storage Precautions: Store in cool, dry, well-ventilated place. Avoid breathing mist or vapor, contact with strong oxidizers, and contact with eyes, skin, and clothing.

Other Precautions: Wear goggles, coveralls, impervious gloves and boots when exposed to large quantities of this materials. Wear a mist and vapor mask if good ventilation is not adequate to prevent the accumulation of irritating airborne concentrations. Wash all contaminated clothing before reuse.

NOTE: Dispose of all wastes in accordance with federal, state, and local regulations.

SECTION VIII - CONTROL MEASURES

Work/Hygiene Practices: Use goggles or shielded safety glasses for eye protection. Gloves, other protection, and ventilation beyond good room ventilation are not normally required.

Special Protective Measures

for Maintenance Work: Gloves and local ventilation may be required.

Other Controls, Protection: None listed

DISCLAIMER

These data are offered in good faith as typical values and not as a product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. In the event of any questions, please call the telephone number provided.

HEALTH RATING: HEALTH - 1 FIRE - 1 FLAMMABILITY - 1 REACTIVITY - 0

SECTION I

Trade Name: DURASAFE 2007 PAINT, OIL, GREASE & ADHESIVE REMOVER
Common Name: Paint, Oil, Grease, and Adhesive Remover
Manufacturer's Name: XL BRANDS
Address: 237 NANCE ROAD NE
CALHOUN, GA 30701
Emergency Telephone No.: 800-424-9300
Information Telephone No.: 800-336-4583 Date Prepared: 02/15/05
Preparer: W. E. Oates
Chemical Name: NA
Supplier's Generic Name: DuraSafe 2007
Hazard Class: DOES NOT APPLY
Other Identifying Data: Clear, water-white liquid
General Information: FOR COMMERCIAL USE - KEEP OUT OF REACH OF CHILDREN
CONTAINS NO SARA 313 REPORTABLE CHEMICALS

SECTION II - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Chemical Name	OSHA-PEL (ppm)	ACGIH-TLV (ppm)	CAS Number	Percent
Contains NO HAZARDOUS CHEMICALS	NA	NA	000000-00-0	NA

"No toxic chemical(s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR are present."

State Regulations: California Proposition 65

This product does not contain components listed under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65).

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212° F Pure or Mixture: MIXTURE
Vapor Pressure: Same as water Melting Point (F): NA
Evaporation Rate: Same as water (BUTYL ACETATE = 1) pH: 7 - 9
Vapor Density (Air=1): Same as water Ignition Temperature (F): NA
Solubility in Water: SOL
Specific Gravity: 1.0 Physical State: LIQUID
Appearance and Odor: Clear liquid, little odor
How to detect this substance: Appearance and soapy feel to the touch
Other Physical/Chemical Data: NA

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): 212° F
Flammability Classification: WILL NOT BURN
NFPA Health Hazard Code: NONHAZARDOUS
Flammable Limits in Air-> LEL: NA % UEL: NA %
Extinguishing Media: This material does not burn. The choice of
extinguishing media depends on the
surrounding materials involved in the fire.
Special Fire Fighting Procedures: As with all fires involving chemicals,
firefighters should wear self-contained
breathing apparatus and full turnout gear.

FIRE AND EXPLOSION HAZARD DATA (Continued from previous page)

Unusual Fire & Explosion Hazards: There are no unusual fire or explosion hazards associated with this material. A water spray may be used to cool containers in the area of the fire.

SECTION V - REACTIVITY DATA

Stability: NORMALLY STABLE
Incompatibilities: Strong oxidizing agents, such as nitric acid.
Conditions To Avoid: NONE
Hazardous Decomposition Products: Oxides of sulfur and oxides of carbon
Hazardous Polymerization: WILL NOT OCCUR
Other Reactivity Data: None known

SECTION VI - HEALTH HAZARD DATA

ROUTES OF ENTRY: Ingestion, skin, and eyes

HEALTH HAZARDS

Immediate: May cause irritation to eyes and skin upon contact. May cause nausea and vomiting if ingested.
Long Term: None listed
Other Hazards: None listed
Carcinogenicity: THIS PRODUCT'S INGREDIENTS ARE NOT FOUND IN OHSA, NTP, IARC, OR APD LISTS.

SIGNS & SYMPTOMS OF EXPOSURE / EMERGENCY & FIRST-AID PROCEDURES

Eye Contact: Irritations / Flush with water for 15 minutes. Consult a physician if irritation persists.
Skin Contact: Dry, redness, itching / Flush with water. Avoid further contact. Seek medical aid if problem persists.
Inhaled: Irritation of nasal passages and respiratory tract and sneezing / Go to fresh air. Consult a physician if irritation persists.
Swallowed: Diarrhea / Drink water, induce vomiting by sticking finger down throat. Consult a physician if diarrhea persists.
Medical Conditions Aggravated By Exposure:
Dermatitis may be aggravated by prolonged and/or repeated contact with this material.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Action If Released or Spilled: If it is a small spill, mop up the material. If it is a large spill, use absorbent, shovel up and place in a container for disposal. Flush residue to drain (sewer) with plenty of water to prevent slip hazards.

PRECAUTIONS FOR SAFE HANDLING AND USE (Continued from previous page)

Waste Disposal Method: Dispose of contaminated materials by means of an approved commercial disposer.

DOT Storage Category: N/A

Handling/Storage Precautions: Store in cool, dry, well-ventilated place. Avoid breathing mist or vapor, contact with strong oxidizers, and contact with eyes, skin, and clothing.

Other Precautions: Wear goggles, coveralls, impervious gloves and boots when exposed to large quantities of this materials. Wear a mist and vapor mask if good ventilation is not adequate to prevent the accumulation of irritating airborne concentrations. Wash all contaminated clothing before reuse.

NOTE: Dispose of all wastes in accordance with federal, state, and local regulations.

SECTION VIII - CONTROL MEASURES

Work/Hygiene Practices: Use goggles or shielded safety glasses for eye protection. Gloves, other protection, and ventilation beyond good room ventilation are not normally required.

Special Protective Measures

for Maintenance Work: Gloves and local ventilation may be required.

Other Controls, Protection: None listed

DISCLAIMER

These data are offered in good faith as typical values and not as a product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. In the event of any questions, please call the telephone number provided.

HEALTH RATING: HEALTH - 1 FIRE - 1 FLAMMABILITY - 1 REACTIVITY - 0

SECTION I

Trade Name: DURASAFE 3007 HOT WATER EXTRACTION CONCENTRATE
Common Name: Hot Water Extraction Carpet Cleaner Concentrate
Manufacturer's Name: AMERICLEAN
Address: 65 EAST FERGUSON AVENUE
WOOD RIVER, IL 62095
Emergency Telephone No.: 800-443-2241
Information Telephone No.: 1-800-443-2241 Date Prepared: 02/15/05
Preparer: W. E. Oates
Chemical Name: NA
Supplier's Generic Name: DuraSafe 3007
Synonyms: NA
Hazard Class: DOES NOT APPLY
Other Identifying Data: Clear, water-white liquid
General Information: FOR COMMERCIAL USE - KEEP OUT OF REACH OF CHILDREN
CONTAINS NO SARA 313 REPORTABLE CHEMICALS

SECTION II - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Chemical Name	OSHA-PEL (ppm)	ACGIH-TLV (ppm)	CAS Number	Percent
Contains NO HAZARDOUS CHEMICALS	NA	NA	000000-00-0	NA

NOTE: If PEL or TLC is followed by the letter M, value is Mg/Cubic Meter

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >220 Pure or Mixture: MIXTURE
Vapor Pressure: NDA Melting Point (F): NA
Evaporation Rate: NDA (BUTYL ACETATE = 1) pH: 7
Vapor Density (Air=1): NDA Ignition Temperature (F): NA
Solubility in Water: SOL
Specific Gravity: >1.031 Physical State: LIQUID
Appearance and Odor: Clear, colorless liquid without odor
How to detect this substance: Appearance and soapy feel to the touch
Other Physical/Chemical Data: NA

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): >300
Flammability Classification: WILL NOT BURN
NFPA Health Hazard Code: NONHAZARDOUS
Flammable Limits in Air-> LEL: NA % UEL: NA %
Extinguishing Media: This material does not burn. The choice of extinguishing media depends on the surrounding materials involved in the fire.
Special Fire Fighting Procedures: As with all fires involving chemicals, firefighters should wear self-contained breathing apparatus and full turnout gear.

FIRE AND EXPLOSION HAZARD DATA (Continued from previous page)

Unusual Fire & Explosion Hazards: There are no unusual fire or explosion hazards associated with this material. A water spray may be used to cool containers in the area of the fire.

SECTION V - REACTIVITY DATA

Stability: NORMALLY STABLE
Incompatibilities: Strong oxidizing agents, such as nitric Acid.
Conditions To Avoid: NONE
Hazardous Decomposition Products: Oxides of sulfur and oxides of carbon
Hazardous Polymerization: WILL NOT OCCUR
Other Reactivity Data: None known

SECTION VI - HEALTH HAZARD DATA

ROUTES OF ENTRY: Ingestion, skin, and eyes

HEALTH HAZARDS

Immediate: May cause irritation to eyes and skin upon contact. May cause nausea and vomiting if ingested.
Long Term: None listed
Other Hazards: None listed
Carcinogenicity: THIS PRODUCT'S INGREDIENTS ARE NOT FOUND IN OHSA, NTP, IARC, OR APD LISTS.

SIGNS & SYMPTOMS OF EXPOSURE / EMERGENCY & FIRST-AID PROCEDURES

Eye Contact: Irritations / Flush with water for 15 minutes. Consult a physician if irritation persists.
Skin Contact: Dry, redness, itching / Flush with water. Avoid further contact. Seek medical aid if problem persists.
Inhaled: Irritation of nasal passages and respiratory tract and sneezing / Go to fresh air. Consult a physician if irritation persists.
Swallowed: Diarrhea / Drink water, induce vomiting by sticking finger down throat. Consult a physician if diarrhea persists.
Medical Conditions Aggravated By Exposure:
Dermatitis may be aggravated by prolonged and/or repeated contact with this material.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Action If Released or Spilled: If it is a small spill, mop up the material. If it is a large spill, use absorbent, shovel up and place in a container for disposal. Flush residue to drain (sewer) with plenty of water to prevent slip hazards.

PRECAUTIONS FOR SAFE HANDLING AND USE (Continued from previous page)

Waste Disposal Method: Dispose of contaminated materials by means of an approved commercial disposer.

DOT Storage Category: N/A

Handling/Storage Precautions: Store in cool, dry, well-ventilated place. Avoid breathing mist or vapor, contact with strong oxidizers, and contact with eyes, skin, and clothing.

Other Precautions: Wear goggles, coveralls, impervious gloves and boots when exposed to large quantities of this materials. Wear a mist and vapor mask if good ventilation is not adequate to prevent the accumulation of irritating airborne concentrations. Wash all contaminated clothing before reuse.

NOTE: Dispose of all wastes in accordance with federal, state, and local regulations.

SECTION VIII - CONTROL MEASURES

Work/Hygiene Practices: Use goggles or shielded safety glasses for eye protection. Gloves, other protection, and ventilation beyond good room ventilation are not normally required.

Special Protective Measures

for Maintenance Work: Gloves and local ventilation may be required.

Other Controls, Protection: None listed

DISCLAIMER

These data are offered in good faith as typical values and not as a product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. In the event of any questions, please call the telephone number provided.

HEALTH RATING: HEALTH - 1 FIRE - 0 FLAMMABILITY - 0 REACTIVITY - 0

SECTION I

Trade Name: DURASAFE 4007 BONNET CLEANING CONCENTRATE PRESpray
Common Name: Bonnet Cleaning Concentrate Prespray
Manufacturer's Name: XL BRANDS
Address: 237 NANCE ROAD NE
CALHOUN, GA 30701
Emergency Telephone No.: 800-424-9300
Information Telephone No.: 800-336-4583 Date Prepared: 02/15/05
Preparer: W. E. Oates
Chemical Name: NA
Supplier's Generic Name: DuraSafe 4007
Hazard Class: DOES NOT APPLY
Other Identifying Data: Clear, water-white liquid
General Information: FOR COMMERCIAL USE - KEEP OUT OF REACH OF CHILDREN
CONTAINS NO SARA 313 REPORTABLE CHEMICALS

SECTION II - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Chemical Name	OSHA-PEL (ppm)	ACGIH-TLV (ppm)	CAS Number	Percent
Contains NO HAZARDOUS CHEMICALS	NA	NA	000000-00-0	NA

"No toxic chemical(s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR are present."

State Regulations: California Proposition 65

This product does not contain components listed under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65).

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212° F Pure or Mixture: MIXTURE
Vapor Pressure: Same as water Melting Point (F): NA
Evaporation Rate: Same as water (BUTYL ACETATE = 1) pH: 7 - 9
Vapor Density (Air=1): Same as water Ignition Temperature (F): NA
Solubility in Water: SOL
Specific Gravity: 1.08 Physical State: LIQUID
Appearance and Odor: Clear liquid, light odor
How to detect this substance: Appearance and soapy feel to the touch
Other Physical/Chemical Data: NA

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): 212° F
Flammability Classification: WILL NOT BURN
NFPA Health Hazard Code: NONHAZARDOUS
Flammable Limits in Air-> LEL: NA % UEL: NA %
Extinguishing Media: This material does not burn. The choice of
extinguishing media depends on the
surrounding materials involved in the fire.
Special Fire Fighting Procedures: As with all fires involving chemicals,
firefighters should wear self-contained
breathing apparatus and full turnout gear.

FIRE AND EXPLOSION HAZARD DATA (Continued from previous page)

Unusual Fire & Explosion Hazards: There are no unusual fire or explosion hazards associated with this material. A water spray may be used to cool containers in the area of the fire.

SECTION V - REACTIVITY DATA

Stability: NORMALLY STABLE

Incompatibilities: Strong oxidizing agents, such as nitric Acid.

Conditions To Avoid: NONE

Hazardous Decomposition Products: Oxides of sulfur and oxides of carbon

Hazardous Polymerization: WILL NOT OCCUR

Other Reactivity Data: None known

SECTION VI - HEALTH HAZARD DATA

ROUTES OF ENTRY: Ingestion, skin, and eyes

HEALTH HAZARDS

Immediate: May cause irritation to eyes and skin upon contact. May cause nausea and vomiting if ingested.

Long Term: None listed

Other Hazards: None listed

Carcinogenicity: THIS PRODUCT'S INGREDIENTS ARE NOT FOUND IN OHSA, NTP, IARC, OR APD LISTS.

SIGNS & SYMPTOMS OF EXPOSURE / EMERGENCY & FIRST-AID PROCEDURES

Eye Contact: Irritations / Flush with water for 15 minutes. Consult a physician if irritation persists.

Skin Contact: Dry, redness, itching / Flush with water. Avoid further contact. Seek medical aid if problem persists.

Inhaled: Irritation of nasal passages and respiratory tract and sneezing / Go to fresh air. Consult a physician if irritation persists.

Swallowed: Diarrhea / Drink water, induce vomiting by sticking finger down throat. Consult a physician if diarrhea persists.

Medical Conditions Aggravated By Exposure:

Dermatitis may be aggravated by prolonged and/or repeated contact with this material.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Action If Released or Spilled: If it is a small spill, mop up the material. If it is a large spill, use absorbent, shovel up and place in a container for disposal. Flush residue to drain (sewer) with plenty of water to prevent slip hazards.

PRECAUTIONS FOR SAFE HANDLING AND USE (Continued from previous page)

Waste Disposal Method: Dispose of contaminated materials by means of an approved commercial disposer.

DOT Storage Category: N/A

Handling/Storage Precautions: Store in cool, dry, well-ventilated place. Avoid breathing mist or vapor, contact with strong oxidizers, and contact with eyes, skin, and clothing.

Other Precautions: Wear goggles, coveralls, impervious gloves and boots when exposed to large quantities of this materials. Wear a mist and vapor mask if good ventilation is not adequate to prevent the accumulation of irritating airborne concentrations. Wash all contaminated clothing before reuse.

NOTE: Dispose of all wastes in accordance with federal, state, and local regulations.

SECTION VIII - CONTROL MEASURES

Work/Hygiene Practices: Use goggles or shielded safety glasses for eye protection. Gloves, other protection, and ventilation beyond good room ventilation are not normally required.

Special Protective Measures

for Maintenance Work: Gloves and local ventilation may be required.

Other Controls, Protection: None listed

DISCLAIMER

These data are offered in good faith as typical values and not as a product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. In the event of any questions, please call the telephone number provided.

HEALTH RATING: HEALTH - 1 FIRE - 0 FLAMMABILITY - 0 REACTIVITY - 0

SECTION I

Trade Name: DURASAFE 5007
Common Name: Tannin Remover - For removal of coffee and yellowing
Manufacturer's Name: AMERICLEAN
Address: 65 EAST FERGUSON AVENUE
WOOD RIVER, IL 62095
Emergency Telephone No.: 800-443-2241 Date Received: 10/20/03
Information Telephone No.: 1-800-443-2241 Date Prepared: 10/15/03
Preparer: W. E. Oates
Chemical Name: NA
Supplier's Generic Name: DuraSafe 5007
Synonyms: NA
Hazard Class: DOES NOT APPLY
Other Identifying Data: Clear, water-white liquid
General Information: FOR COMMERCIAL USE - KEEP OUT OF REACH OF CHILDREN
CONTAINS NO SARA 313 REPORTABLE CHEMICALS

SECTION II - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Chemical Name	OSHA-PEL (ppm)	ACGIH-TLV (ppm)	CAS Number	Percent
Contains NO HAZARDOUS CHEMICALS	NA	NA	000000-00-0	NA

NOTE: If PEL or TLC is followed by the letter M, value is Mg/Cubic Meter

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >220 Pure or Mixture: MIXTURE
Vapor Pressure: NDA Melting Point (F): NA
Evaporation Rate: NDA (BUTYL ACETATE = 1) pH: 7
Vapor Density (Air=1): NDA Ignition Temperature (F): NA
Solubility in Water: SOL
Specific Gravity: >1.031 Physical State: LIQUID
Appearance and Odor: Clear, colorless liquid without odor
How to detect this substance: Appearance and soapy feel to the touch
Other Physical/Chemical Data: NA

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): >300
Flammability Classification: WILL NOT BURN
NFPA Health Hazard Code: NONHAZARDOUS
Flammable Limits in Air-> LEL: NA % UEL: NA %
Extinguishing Media: This material does not burn. The choice of extinguishing media depends on the surrounding materials involved in the fire.
Special Fire Fighting Procedures: As with all fires involving chemicals, firefighters should wear self-contained breathing apparatus and full turnout gear.

FIRE AND EXPLOSION HAZARD DATA (Continued from previous page)

Unusual Fire & Explosion Hazards: There are no unusual fire or explosion hazards associated with this material.
A water spray may be used to cool containers in the area of the fire.

SECTION V - REACTIVITY DATA

Stability: NORMALLY STABLE
Incompatibilities: Strong oxidizing agents, such as nitric Acid.
Conditions To Avoid: NONE
Hazardous Decomposition Products: Oxides of sulfur and oxides of carbon
Hazardous Polymerization: WILL NOT OCCUR
Other Reactivity Data: None known

SECTION VI - HEALTH HAZARD DATA

ROUTES OF ENTRY: Ingestion, skin, and eyes

HEALTH HAZARDS

Immediate: May cause irritation to eyes and skin upon contact. May cause nausea and vomiting if ingested.
Long Term: None listed
Other Hazards: None listed
Carcinogenicity: THIS PRODUCT'S INGREDIENTS ARE NOT FOUND IN OHSA, NTP, IARC, OR APD LISTS.

SIGNS & SYMPTOMS OF EXPOSURE / EMERGENCY & FIRST-AID PROCEDURES

Eye Contact: Irritations / Flush with water for 15 minutes. Consult a physician if irritation persists.
Skin Contact: Dry, redness, itching / Flush with water. Avoid further contact. Seek medical aid if problem persists.
Inhaled: Irritation of nasal passages and respiratory tract and sneezing / Go to fresh air. Consult a physician if irritation persists.
Swallowed: Diarrhea / Drink water, induce vomiting by sticking finger down throat. Consult a physician if diarrhea persists.
Medical Conditions Aggravated By Exposure:
Dermatitis may be aggravated by prolonged and/or repeated contact with this material.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Action If Released or Spilled: If it is a small spill, mop up the material.
If it is a large spill, use absorbent, shovel up and place in a container for disposal.
Flush residue to drain (sewer) with plenty of water to prevent slip hazards.

PRECAUTIONS FOR SAFE HANDLING AND USE (Continued from previous page)

Waste Disposal Method: Dispose of contaminated materials by means of an approved commercial disposer.

DOT Storage Category: N/A

Handling/Storage Precautions: Store in cool, dry, well-ventilated place. Avoid breathing mist or vapor, contact with strong oxidizers, and contact with eyes, skin, and clothing.

Other Precautions: Wear goggles, coveralls, impervious gloves and boots when exposed to large quantities of this materials. Wear a mist and vapor mask if good ventilation is not adequate to prevent the accumulation of irritating airborne concentrations. Wash all contaminated clothing before reuse.

NOTE: Dispose of all wastes in accordance with federal, state, and local regulations.

SECTION VIII - CONTROL MEASURES

Work/Hygiene Practices: Use goggles or shielded safety glasses for eye protection. Gloves, other protection, and ventilation beyond good room ventilation are not normally required.

Special Protective Measures

for Maintenance Work: Gloves and local ventilation may be required.

Other Controls, Protection: None listed

DISCLAIMER

These data are offered in good faith as typical values and not as a product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. In the event of any questions, please call the telephone number provided.

HEALTH RATING: HEALTH - 1 FIRE - 0 FLAMMABILITY - 0 REACTIVITY - 0

SECTION I

Trade Name: DURASAFE 6007 ODOR GONE
Common Name: Odor Gone - Spot Remover with Deodorizer
Manufacturer's Name: AMERICLEAN
Address: 65 EAST FERGUSON AVENUE
WOOD RIVER, IL 62095
Emergency Telephone No.: 800-443-2241
Information Telephone No.: 1-800-443-2241 Date Prepared: 02/15/05
Preparer: W. E. Oates
Chemical Name: NA
Supplier's Generic Name: DuraSafe 6007
Synonyms: NA
Hazard Class: DOES NOT APPLY
Other Identifying Data: Clear, water-white liquid
General Information: FOR COMMERCIAL USE - KEEP OUT OF REACH OF CHILDREN
CONTAINS NO SARA 313 REPORTABLE CHEMICALS

SECTION II - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Chemical Name	OSHA-PEL (ppm)	ACGIH-TLV (ppm)	CAS Number	Percent
Contains NO HAZARDOUS CHEMICALS	NA	NA	000000-00-0	NA

NOTE: If PEL or TLC is followed by the letter M, value is Mg/Cubic Meter

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >220 Pure or Mixture: MIXTURE
Vapor Pressure: NDA Melting Point (F): NA
Evaporation Rate: NDA (BUTYL ACETATE = 1) pH: 7
Vapor Density (Air=1): NDA Ignition Temperature (F): NA
Solubility in Water: SOL
Specific Gravity: >1.031 Physical State: LIQUID
Appearance and Odor: Clear, colorless liquid without odor
How to detect this substance: Appearance and soapy feel to the touch
Other Physical/Chemical Data: NA

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): >300
Flammability Classification: WILL NOT BURN
NFPA Health Hazard Code: NONHAZARDOUS
Flammable Limits in Air-> LEL: NA % UEL: NA %
Extinguishing Media: This material does not burn. The choice of extinguishing media depends on the surrounding materials involved in the fire.
Special Fire Fighting Procedures: As with all fires involving chemicals, firefighters should wear self-contained breathing apparatus and full turnout gear.

FIRE AND EXPLOSION HAZARD DATA (Continued from previous page)

Unusual Fire & Explosion Hazards: There are no unusual fire or explosion hazards associated with this material. A water spray may be used to cool containers in the area of the fire.

SECTION V - REACTIVITY DATA

Stability: NORMALLY STABLE

Incompatibilities: Strong oxidizing agents, such as nitric Acid.

Conditions To Avoid: NONE

Hazardous Decomposition Products: Oxides of sulfur and oxides of carbon

Hazardous Polymerization: WILL NOT OCCUR

Other Reactivity Data: None known

SECTION VI - HEALTH HAZARD DATA

ROUTES OF ENTRY: Ingestion, skin, and eyes

HEALTH HAZARDS

Immediate: May cause irritation to eyes and skin upon contact. May cause nausea and vomiting if ingested.

Long Term: None listed

Other Hazards: None listed

Carcinogenicity: THIS PRODUCT'S INGREDIENTS ARE NOT FOUND IN OHSA, NTP, IARC, OR APD LISTS.

SIGNS & SYMPTOMS OF EXPOSURE / EMERGENCY & FIRST-AID PROCEDURES

Eye Contact: Irritations / Flush with water for 15 minutes. Consult a physician if irritation persists.

Skin Contact: Dry, redness, itching / Flush with water. Avoid further contact. Seek medical aid if problem persists.

Inhaled: Irritation of nasal passages and respiratory tract and sneezing / Go to fresh air. Consult a physician if irritation persists.

Swallowed: Diarrhea / Drink water, induce vomiting by sticking finger down throat. Consult a physician if diarrhea persists.

Medical Conditions Aggravated By Exposure:

Dermatitis may be aggravated by prolonged and/or repeated contact with this material.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Action If Released or Spilled: If it is a small spill, mop up the material. If it is a large spill, use absorbent, shovel up and place in a container for disposal. Flush residue to drain (sewer) with plenty of water to prevent slip hazards.

PRECAUTIONS FOR SAFE HANDLING AND USE (Continued from previous page)

Waste Disposal Method: Dispose of contaminated materials by means of an approved commercial disposer.

DOT Storage Category: N/A

Handling/Storage Precautions: Store in cool, dry, well-ventilated place. Avoid breathing mist or vapor, contact with strong oxidizers, and contact with eyes, skin, and clothing.

Other Precautions: Wear goggles, coveralls, impervious gloves and boots when exposed to large quantities of this materials. Wear a mist and vapor mask if good ventilation is not adequate to prevent the accumulation of irritating airborne concentrations. Wash all contaminated clothing before reuse.

NOTE: Dispose of all wastes in accordance with federal, state, and local regulations.

SECTION VIII - CONTROL MEASURES

Work/Hygiene Practices: Use goggles or shielded safety glasses for eye protection. Gloves, other protection, and ventilation beyond good room ventilation are not normally required.

Special Protective Measures

for Maintenance Work: Gloves and local ventilation may be required.

Other Controls, Protection: None listed

DISCLAIMER

These data are offered in good faith as typical values and not as a product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. In the event of any questions, please call the telephone number provided.

HEALTH RATING: HEALTH - 1 FIRE - 0 FLAMMABILITY - 0 REACTIVITY - 0

SECTION I

Trade Name: DURASAFE 7007 BETADINE REMOVER
Common Name: Betadine and Iodine Remover
Manufacturer's Name: AMERICLEAN
Address: 65 EAST FERGUSON AVENUE
WOOD RIVER, IL 62095
Emergency Telephone No.: 800-443-2241
Information Telephone No.: 1-800-443-2241 Date Prepared: 02/15/05
Preparer: W. E. Oates
Chemical Name: NA
Supplier's Generic Name: DuraSafe 7007
Synonyms: NA
Hazard Class: DOES NOT APPLY
Other Identifying Data: Clear, water-white liquid
General Information: FOR COMMERCIAL USE - KEEP OUT OF REACH OF CHILDREN
CONTAINS NO SARA 313 REPORTABLE CHEMICALS

SECTION II - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Chemical Name	OSHA-PEL (ppm)	ACGIH-TLV (ppm)	CAS Number	Percent
Contains NO HAZARDOUS CHEMICALS	NA	NA	000000-00-0	NA

NOTE: If PEL or TLC is followed by the letter M, value is Mg/Cubic Meter

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >220 Pure or Mixture: MIXTURE
Vapor Pressure: NDA Melting Point (F): NA
Evaporation Rate: NDA (BUTYL ACETATE = 1) pH: 7
Vapor Density (Air=1): NDA Ignition Temperature (F): NA
Solubility in Water: SOL
Specific Gravity: >1.031 Physical State: LIQUID
Appearance and Odor: Clear, colorless liquid without odor
How to detect this substance: Appearance and soapy feel to the touch
Other Physical/Chemical Data: NA

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): >300
Flammability Classification: WILL NOT BURN
NFPA Health Hazard Code: NONHAZARDOUS
Flammable Limits in Air-> LEL: NA % UEL: NA %
Extinguishing Media: This material does not burn. The choice of extinguishing media depends on the surrounding materials involved in the fire.
Special Fire Fighting Procedures: As with all fires involving chemicals, firefighters should wear self-contained breathing apparatus and full turnout gear.

FIRE AND EXPLOSION HAZARD DATA (Continued from previous page)

Unusual Fire & Explosion Hazards: There are no unusual fire or explosion hazards associated with this material.
A water spray may be used to cool containers in the area of the fire.

SECTION V - REACTIVITY DATA

Stability: NORMALLY STABLE
Incompatibilities: Strong oxidizing agents, such as nitric Acid.
Conditions To Avoid: NONE
Hazardous Decomposition Products: Oxides of sulfur and oxides of carbon
Hazardous Polymerization: WILL NOT OCCUR
Other Reactivity Data: None known

SECTION VI - HEALTH HAZARD DATA

ROUTES OF ENTRY: Ingestion, skin, and eyes

HEALTH HAZARDS

Immediate: May cause irritation to eyes and skin upon contact. May cause nausea and vomiting if ingested.
Long Term: None listed
Other Hazards: None listed
Carcinogenicity: THIS PRODUCT'S INGREDIENTS ARE NOT FOUND IN OHSA, NTP, IARC, OR APD LISTS.

SIGNS & SYMPTOMS OF EXPOSURE / EMERGENCY & FIRST-AID PROCEDURES

Eye Contact: Irritations / Flush with water for 15 minutes. Consult a physician if irritation persists.
Skin Contact: Dry, redness, itching / Flush with water. Avoid further contact. Seek medical aid if problem persists.
Inhaled: Irritation of nasal passages and respiratory tract and sneezing / Go to fresh air. Consult a physician if irritation persists.
Swallowed: Diarrhea / Drink water, induce vomiting by sticking finger down throat. Consult a physician if diarrhea persists.
Medical Conditions Aggravated By Exposure:
Dermatitis may be aggravated by prolonged and/or repeated contact with this material.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Action If Released or Spilled: If it is a small spill, mop up the material.
If it is a large spill, use absorbent, shovel up and place in a container for disposal.
Flush residue to drain (sewer) with plenty of water to prevent slip hazards.

PRECAUTIONS FOR SAFE HANDLING AND USE (Continued from previous page)

Waste Disposal Method: Dispose of contaminated materials by means of an approved commercial disposer.

DOT Storage Category: N/A

Handling/Storage Precautions: Store in cool, dry, well-ventilated place. Avoid breathing mist or vapor, contact with strong oxidizers, and contact with eyes, skin, and clothing.

Other Precautions: Wear goggles, coveralls, impervious gloves and boots when exposed to large quantities of this materials. Wear a mist and vapor mask if good ventilation is not adequate to prevent the accumulation of irritating airborne concentrations. Wash all contaminated clothing before reuse.

NOTE: Dispose of all wastes in accordance with federal, state, and local regulations.

SECTION VIII - CONTROL MEASURES

Work/Hygiene Practices: Use goggles or shielded safety glasses for eye protection. Gloves, other protection, and ventilation beyond good room ventilation are not normally required.

Special Protective Measures

for Maintenance Work: Gloves and local ventilation may be required.

Other Controls, Protection: None listed

DISCLAIMER

These data are offered in good faith as typical values and not as a product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. In the event of any questions, please call the telephone number provided.

HEALTH RATING: HEALTH - 1 FIRE - 0 FLAMMABILITY - 0 REACTIVITY - 0

SECTION I

Trade Name: DURASAFE 8007
Common Name: Rust Remover - For the removal of rust spots
Manufacturer's Name: AMERICLEAN
Address: 65 EAST FERGUSON AVENUE
WOOD RIVER, IL 62095
Emergency Telephone No.: 800-443-2241 Date Received: 10/20/03
Information Telephone No.: 1-800-443-2241 Date Prepared: 10/15/03
Preparer: W. E. Oates
Chemical Name: NA
Supplier's Generic Name: DuraSafe 8007
Synonyms: NA
Hazard Class: DOES NOT APPLY
Other Identifying Data: Clear, water-white liquid
General Information: FOR COMMERCIAL USE - KEEP OUT OF REACH OF CHILDREN
CONTAINS NO SARA 313 REPORTABLE CHEMICALS

SECTION II - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Chemical Name	OSHA-PEL (ppm)	ACGIH-TLV (ppm)	CAS Number	Percent
Contains NO HAZARDOUS CHEMICALS	NA	NA	000000-00-0	NA

NOTE: If PEL or TLC is followed by the letter M, value is Mg/Cubic Meter

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >220 Pure or Mixture: MIXTURE
Vapor Pressure: NDA Melting Point (F): NA
Evaporation Rate: NDA (BUTYL ACETATE = 1) pH: 7
Vapor Density (Air=1): NDA Ignition Temperature (F): NA
Solubility in Water: SOL
Specific Gravity: >1.031 Physical State: LIQUID
Appearance and Odor: Clear, colorless liquid without odor
How to detect this substance: Appearance and soapy feel to the touch
Other Physical/Chemical Data: NA

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): >300
Flammability Classification: WILL NOT BURN
NFPA Health Hazard Code: NONHAZARDOUS
Flammable Limits in Air-> LEL: NA % UEL: NA %
Extinguishing Media: This material does not burn. The choice of extinguishing media depends on the surrounding materials involved in the fire.
Special Fire Fighting Procedures: As with all fires involving chemicals, firefighters should wear self-contained breathing apparatus and full turnout gear.

FIRE AND EXPLOSION HAZARD DATA (Continued from previous page)

Unusual Fire & Explosion Hazards: There are no unusual fire or explosion hazards associated with this material. A water spray may be used to cool containers in the area of the fire.

SECTION V - REACTIVITY DATA

Stability: NORMALLY STABLE
Incompatibilities: Strong oxidizing agents, such as nitric Acid.
Conditions To Avoid: NONE
Hazardous Decomposition Products: Oxides of sulfur and oxides of carbon
Hazardous Polymerization: WILL NOT OCCUR
Other Reactivity Data: None known

SECTION VI - HEALTH HAZARD DATA

ROUTES OF ENTRY: Ingestion, skin, and eyes

HEALTH HAZARDS

Immediate: May cause irritation to eyes and skin upon contact. May cause nausea and vomiting if ingested.
Long Term: None listed
Other Hazards: None listed
Carcinogenicity: THIS PRODUCT'S INGREDIENTS ARE NOT FOUND IN OHSA, NTP, IARC, OR APD LISTS.

SIGNS & SYMPTOMS OF EXPOSURE / EMERGENCY & FIRST-AID PROCEDURES

Eye Contact: Irritations / Flush with water for 15 minutes. Consult a physician if irritation persists.
Skin Contact: Dry, redness, itching / Flush with water. Avoid further contact. Seek medical aid if problem persists.
Inhaled: Irritation of nasal passages and respiratory tract and sneezing / Go to fresh air. Consult a physician if irritation persists.
Swallowed: Diarrhea / Drink water, induce vomiting by sticking finger down throat. Consult a physician if diarrhea persists.
Medical Conditions Aggravated By Exposure:
Dermatitis may be aggravated by prolonged and/or repeated contact with this material.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Action If Released or Spilled: If it is a small spill, mop up the material. If it is a large spill, use absorbent, shovel up and place in a container for disposal. Flush residue to drain (sewer) with plenty of water to prevent slip hazards.

PRECAUTIONS FOR SAFE HANDLING AND USE (Continued from previous page)

Waste Disposal Method: Dispose of contaminated materials by means of an approved commercial disposer.

DOT Storage Category: N/A

Handling/Storage Precautions: Store in cool, dry, well-ventilated place. Avoid breathing mist or vapor, contact with strong oxidizers, and contact with eyes, skin, and clothing.

Other Precautions: Wear goggles, coveralls, impervious gloves and boots when exposed to large quantities of this materials. Wear a mist and vapor mask if good ventilation is not adequate to prevent the accumulation of irritating airborne concentrations. Wash all contaminated clothing before reuse.

NOTE: Dispose of all wastes in accordance with federal, state, and local regulations.

SECTION VIII - CONTROL MEASURES

Work/Hygiene Practices: Use goggles or shielded safety glasses for eye protection. Gloves, other protection, and ventilation beyond good room ventilation are not normally required.

Special Protective Measures

for Maintenance Work: Gloves and local ventilation may be required.

Other Controls, Protection: None listed

DISCLAIMER

These data are offered in good faith as typical values and not as a product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. In the event of any questions, please call the telephone number provided.

HEALTH RATING: HEALTH - 1 FIRE - 0 FLAMMABILITY - 0 REACTIVITY - 0

SECTION I

Trade Name: DURASAFE 9007 WOVEN SQUARE CLEANER
Common Name: Floor Cleaner - Concentrated prespray
Manufacturer's Name: AMERICLEAN
Address: 65 EAST FERGUSON AVENUE
WOOD RIVER, IL 62095
Emergency Telephone No.: 800-443-2241
Information Telephone No.: 1-800-443-2241 Date Prepared: 02/15/05
Preparer: W. E. Oates
Chemical Name: NA
Supplier's Generic Name: DuraSafe 9007
Synonyms: NA
Hazard Class: DOES NOT APPLY
Other Identifying Data: Clear, water-white liquid
General Information: FOR COMMERCIAL USE - KEEP OUT OF REACH OF CHILDREN
CONTAINS NO SARA 313 REPORTABLE CHEMICALS

SECTION II - HAZARDOUS INGREDIENTS/IDENTIFY INFORMATION

Chemical Name	OSHA-PEL (ppm)	ACGIH-TLV (ppm)	CAS Number	Percent
Contains NO HAZARDOUS CHEMICALS	NA	NA	000000-00-0	NA

NOTE: If PEL or TLC is followed by the letter M, value is Mg/Cubic Meter

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >220 Pure or Mixture: MIXTURE
Vapor Pressure: NDA Melting Point (F): NA
Evaporation Rate: NDA (BUTYL ACETATE = 1) pH: 7
Vapor Density (Air=1): NDA Ignition Temperature (F): NA
Solubility in Water: SOL
Specific Gravity: >1.031 Physical State: LIQUID
Appearance and Odor: Clear, colorless liquid without odor
How to detect this substance: Appearance and soapy feel to the touch
Other Physical/Chemical Data: NA

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (F): >300
Flammability Classification: WILL NOT BURN
NFPA Health Hazard Code: NONHAZARDOUS
Flammable Limits in Air-> LEL: NA % UEL: NA %
Extinguishing Media: This material does not burn. The choice of extinguishing media depends on the surrounding materials involved in the fire.
Special Fire Fighting Procedures: As with all fires involving chemicals, firefighters should wear self-contained breathing apparatus and full turnout gear.

FIRE AND EXPLOSION HAZARD DATA (Continued from previous page)

Unusual Fire & Explosion Hazards: There are no unusual fire or explosion hazards associated with this material. A water spray may be used to cool containers in the area of the fire.

SECTION V - REACTIVITY DATA

Stability: NORMALLY STABLE
Incompatibilities: Strong oxidizing agents, such as nitric Acid.
Conditions To Avoid: NONE
Hazardous Decomposition Products: Oxides of sulfur and oxides of carbon
Hazardous Polymerization: WILL NOT OCCUR
Other Reactivity Data: None known

SECTION VI - HEALTH HAZARD DATA

ROUTES OF ENTRY: Ingestion, skin, and eyes

HEALTH HAZARDS

Immediate: May cause irritation to eyes and skin upon contact. May cause nausea and vomiting if ingested.
Long Term: None listed
Other Hazards: None listed
Carcinogenicity: THIS PRODUCT'S INGREDIENTS ARE NOT FOUND IN OHSA, NTP, IARC, OR APD LISTS.

SIGNS & SYMPTOMS OF EXPOSURE / EMERGENCY & FIRST-AID PROCEDURES

Eye Contact: Irritations / Flush with water for 15 minutes. Consult a physician if irritation persists.
Skin Contact: Dry, redness, itching / Flush with water. Avoid further contact. Seek medical aid if problem persists.
Inhaled: Irritation of nasal passages and respiratory tract and sneezing / Go to fresh air. Consult a physician if irritation persists.
Swallowed: Diarrhea / Drink water, induce vomiting by sticking finger down throat. Consult a physician if diarrhea persists.
Medical Conditions Aggravated By Exposure:
Dermatitis may be aggravated by prolonged and/or repeated contact with this material.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Action If Released or Spilled: If it is a small spill, mop up the material. If it is a large spill, use absorbent, shovel up and place in a container for disposal. Flush residue to drain (sewer) with plenty of water to prevent slip hazards.

PRECAUTIONS FOR SAFE HANDLING AND USE (Continued from previous page)

Waste Disposal Method: Dispose of contaminated materials by means of an approved commercial disposer.

DOT Storage Category: N/A

Handling/Storage Precautions: Store in cool, dry, well-ventilated place. Avoid breathing mist or vapor, contact with strong oxidizers, and contact with eyes, skin, and clothing.

Other Precautions: Wear goggles, coveralls, impervious gloves and boots when exposed to large quantities of this materials. Wear a mist and vapor mask if good ventilation is not adequate to prevent the accumulation of irritating airborne concentrations. Wash all contaminated clothing before reuse.

NOTE: Dispose of all wastes in accordance with federal, state, and local regulations.

SECTION VIII - CONTROL MEASURES

Work/Hygiene Practices: Use goggles or shielded safety glasses for eye protection. Gloves, other protection, and ventilation beyond good room ventilation are not normally required.

Special Protective Measures

for Maintenance Work: Gloves and local ventilation may be required.

Other Controls, Protection: None listed

DISCLAIMER

These data are offered in good faith as typical values and not as a product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. In the event of any questions, please call the telephone number provided.

HEALTH RATING: HEALTH - 1 FIRE - 0 FLAMMABILITY - 0 REACTIVITY - 0